Wikiprint Book

Title: EwEugEcospaceFishery

Subject: Ecopath Developer Site - EwEugEcospaceFishery

Version: 3

Date: 2024-04-24 01:11:41

Table of Contents

10.8 Ecospace fishery 3

10.8 Ecospace fishery

The *Ecospace fishery* form (Figure 10.9) is used to assign fleets, i.e., to define in which habitat(s) a fishing fleet may operate, and to identify whether a given fleet may operate within a restricted area.

For each fleet indicate where it may operate by clicking:

- All: if it can operate in all habitats (default setting), or;
- For each habitat click if may operate in the given habitat;
- MPA: click if the fleet is allowed to operate in the given protected areas.

Effective power: sets relative catchabilities by gear type, treating effort for each gear as starting at base value of 1.0 so that F for the gear (F = qE=Catch/biomass) is $1.0 \cdot q$ where q is relative catchability. This is to avoid measuring effort in some unnecessary unit. Effective power should be entered as a non-negative parameter, and has a default value of 1.

Total efficiency multiplier: a scaling factor for effort by fleet, it should be non-negative, and has a default value of 1.

	Basic estimates Basemap Fishery ▼ X									
:	Set:									
	Fleet \ habitat use:	All	mud bottom	seagrass	deep water	low salinity	MPA1	Effective power	Tot.Eff.Multip.	
1	Gillnet / Trawl	✓						3.000	1.000	
2	Purse Seine	\checkmark						3.000	1.000	
3	Haul Seine	\checkmark						3.000	1.000	
4	Rec. Hook Line				$\overline{\mathbf{v}}$	\checkmark	\checkmark	3.000	1.000	
5	Crab Traps		✓	\checkmark				3.000	1.000	
6	Cast Net	\checkmark						3.000	1.000	
7	Bait Trawl		✓	$\overline{\mathbf{v}}$				3.000	1.000	

Figure 10.9 The Ecospace fishery form.